

polycon surface water drainage




Building a better tomorrow !



SelfEco 150

Secure and Easy Installation

Joined in any Direction
Three x Grate options
Screw Fastening




Simply Clips
Together !




SelfEco 150

Can be installed into:

Block Paving
Concrete
Tarmac



**Smooth Waterproof Polymer Channel for
the quick removal of large volumes of water**



CE Certified with declaration
of performance certificated.

Available in depths of 80mm, 120mm, 150mm & 195mm this channel has the range to suit a lot of different applications. It is capable of not only carrying more water but also allowing the water to pass through the larger grates at a higher rate of speed. This means your area will be drained much more quickly and efficiently.



**Resilient to Extreme
Temperature
Fluctuations**



**Bolt Secure Grate
Resists Extreme
Water Pressures**

**The SelfEco 150
can withstand up to
C250 loaded weight**



A15



B125



C250

Grounds conditions must be suitable and all dimensions shown are the minimum requirement. Engineering advice should be taken where necessary and any questions should be directed to Polycon's technical team either by emailing us at technical@polycon.co.uk or by calling us.

Specifications



Accessories

The Self Prem 150 drainage system comes complete with a unique set of accessories specifically suited to the 150 channel. They are key to the maintenance of the system and to help the removal of water out of the system into exterior drainage.

- 1 Sump Unit** This has the ability to catch big amount of debris that may end up in your drainage system.
- 2 Foul Air Trap** The Foul air trap successfully traps any unwanted dirt and foul smells keeping the drainage system as fresh as possible.
- 3 Outlet** The end cap outlet is used to make a connection from channel to exterior pipes.
- 4 Silt Basket** Some Text about the Silt Basket will be placed in this section.
- 5 End Cap** The end cap is used to prevent water from leaving and it should be used at the end of the highest point in the drain



Units 4 – 8,
Widnes Business Park,
Foundry Lane, Widnes,
Cheshire, WA8 8UB

Telephone :

0151 422 9747

Email :

info@polycon.co.uk



**Scan QR Code
For more info**